



The Collection



CONTENT



About Saniton	02
A Piece Of Our History	03
Product Features	04
Residential Range	05
Toilets	06
Basins	11
Commercial Range	19
Toilets	20
Basins	24
Urinals	28
Industrial Range	31
Toilets	32
Basins	35
Urinals	39
Squat Pans	42
Children Range	44
Waterless Range	48



About Saniton

Saniton started with a purpose of bringing modern day comforts to every home in Singapore.

Serving Singapore's needs since 1989, Saniton has found its way into countless households, offices, institutions, shopping malls and hotels in the country and other parts of Southeast Asia. Headquartered in Singapore, we also have our own production facilities in China and Malaysia that makes us ready to serve and distribute our products to a wider market. We are a traditional business with global aspirations.

Our ceramic products, evolved from our passion for pottery, are made from natural raw materials sourced from around the world. Our own production facilities mean that we can maintain a high degree of craftsmanship in our production lines to ensure that only beautifully styled products leave our assembly lines and in volume.

It is also important for us to evolve, and our designers are constantly innovating to improve the water efficiency, comfort, design, and sustainability of our products. We are also amid transforming our business to be more sustainable and with care for the environment.

As of now, we are focused on building towards our vision of putting a Saniton in every living space.





A Piece Of Our History

Many of you might have been using a Saniton without even realizing it. This is our classic design that first came off the production lines in 1991. Although the design came from another moment in time, the flushing system that comes with it

remains one of the best and this model is still popular up till today.

Being in the business these many years and still counting means we understand what your needs are. This is what drives us every day, to build on your trust that we have garnered for over 3 decades. Through what we do, we want to leave a lasting impression with designs that are timeless.



Product Features

The humble water closet (WC) has not changed its form much throughout history, but that does not mean there are no advances

in terms of technology and functionality. These new features aim at a higher degree of comfort in terms of a reduction of noise, higher levels of hygiene, and our designs have most importantly evolved to be accessible to every individual.



RESIDENTIAL

Beautiful and timeless designs for your home





Toilets

Features

- Rimless bowl design ensures easy cleaning.
- Whirlpool flush cleans the entire bowl in one flush, preventing bacteria and germs from accumulating.
- Anti-bacterial glaze coating kills bacteria and provides lasting hygiene.
- Anti-bacterial, soft-closing Urea seat and cover prevents germs and withstands degradation.
- *Available for upgrade to Touchless Flush.

Specifications

Flush System: Quiet Dual Flush Rough-in: S-Trap 150 & 250 mm Dimension: L 670 x W 380 x H 800

mm

MWELS Rating: 2 Ticks √√ (full

Parts

- All installation accessories
- Urea soft close seat & cover
- Quiet dual flush fittings
- Pan connector (optional)

Moraea ST2462/SC3462 Close-Coupled Water Closet





Ixia ST2466 One-Piece Water Closet

Features

- Elegant and luxurious outlook.
- Rimless bowl design ensures easy cleaning.
- Whirlpool flush cleans the entire bowl in one flush, preventing bacteria and germs from accumulating.
- Anti-bacterial glaze coating kills bacteria and provides lasting hygiene.
- Anti-bacterial, soft-closing Urea seat and cover prevents germs and withstands degradation.
- Uniquely slim cistern cover is lightweight and easy to handle.

Specifications

Flush system: Quiet Dual Flush Rough-In: S-Trap 150 & 250 mm Dimension: L 670 x W 380 x H 775

mm

MWELS Rating: 2 Ticks √√ (full flush ≤4.0L, half

flush ≤ 3.0 L) / 3 Ticks $\sqrt{\sqrt{}}$ (full flush ≤ 3.5 L, half flush

 $\leq 2.5L$

Parts

- All installation accessories
- Urea soft close seat & cover
- Quiet dual flush fitting set
- Pan connector (optional)



Plumeria ST2468 One-Piece Water Closet

Features

- Modern and luxurious feel.
- Rimless bowl design ensures easy cleaning.
- Whirlpool flush cleans the entire bowl in one flush, preventing bacteria and germs from accumulating.
- Anti-bacterial glaze coating kills bacteria and provides lasting hygiene.
- Anti-bacterial, soft-closing Urea seat and cover prevents germs and withstands degradation.

Specifications

Flush system: Quiet Dual Flush Rough-In: S-Trap 150 & 250 mm Dimension: L 685 x W 380 x H 800

mm

MWELS Rating: 2 Ticks $\sqrt{\sqrt{\text{(full flush } \leq 4.0L, half flush } \leq 3.0L)} / 3$ Ticks $\sqrt{\sqrt{\sqrt{\text{(full flush } \leq 3.5L, half flush } }}$

≤2.5L)

- All installation accessories
- Urea soft close seat & cover
- Quiet dual flush fittings
- Pan connector (optional)



Roselle ST2457 One-Piece Water Closet

Features

- Modern and elegant outlook.
- Rimless bowl design ensures easy cleaning.
- Whirlpool flush cleans the entire bowl in one flush, preventing bacteria and germs from accumulating.
- Soft-closing Urea toilet seat and cover withstands degradation over time.
- *Anti-bacterial version available.
- *Available for upgrade to Touchless Flush.

Specifications

Flush system: Quiet Dual Flush Rough-In: S-Trap 150 & 250 mm, P-Trap 180mm

Dimension: L 670 x W 360 x H 790

 $\leq 2.5L$)

mm

MWELS Rating: 2 Ticks $\sqrt{\sqrt{}}$ (full

flush \leq 4.0L, half flush \leq 3.0L) / 3 Ticks $\sqrt{\sqrt{\sqrt{\frac{1}{2}}}}$ (full flush \leq 3.5L, half flush

Parts

- All installation accessories
- Urea soft close seat & cover
- Geberit dual flush fittings
- Pan connector (optional)



Emilia ST2888/SC3188

Close-Coupled Water Closet (For Malaysia market only)

Features

• Suitable for the contemporary bathroom setting.

Specifications

Flush system: Quiet Dual Flush

Rough-In: P-Trap

Convertible to S Trap 140/250mm

Dimension: L 670 x W 380 x H 835

mm

Water Use: Full flush ≤4.0L, Half

flush $\leq 3.0L$

- All installation accessories
- Polypropylene soft close seat & cover
- Bidet seat & cover available (optional)
- Quiet dual flush fittings
- Pan connector (optional)



Alyssa ST2611 Wall-Hung Water Closet

Features

- Elegant and stylish design.
- Rimless bowl design ensures easy cleaning.
- Whirlpool flush cleans the entire bowl in one flush, preventing bacteria and germs from accumulating.
- Anti-bacterial glaze coating kills bacteria and provides lasting hygiene.
- Anti-bacterial, soft-closing Urea seat and cover prevents germs and withstands degradation.

Specifications

Flush system: Flush valve or

Concealed cistern

Available inlet: Back Inlet

Rough-In: P-Trap

Dimension: L 515 x W 370 x H 335

mm

MWELS Rating: 2 Ticks $\sqrt{\sqrt{}}$ (full

flush \leq 4.0L, half flush \leq 3.0L) / 3 Ticks $\sqrt{\sqrt{\sqrt{\frac{1}{2}}}}$ (full flush \leq 3.5L, half flush

 $\leq 2.5L$)

Parts

- All installation accessories and supporting frame
- Urea soft close seat & cover
- Concealed cistern with quiet dual flushing fittings (optional)
- Pan connector (optional)



Acacia ST6019 Wall-Hung Water Closet

Features

- Sleek and modern outlook.
- Rimless bowl design ensures easy cleaning.
- Whirlpool flush cleans the entire bowl in one flush, preventing bacteria and germs from accumulating.
- Anti-bacterial glaze coating kills bacteria and provides lasting hygiene.
- Anti-bacterial, soft-closing Urea seat and cover prevents germs and withstands degradation.

Specifications

Flush system: Flush valve or

Concealed cistern

Available inlet: Back Inlet

Rough-In: P-Trap

Dimension: L 495 x W 360 x H 350

mm

MWELS Rating: 2 Ticks √√ (full

flush \leq 4.0L, half flush \leq 3.0L) / 3 Ticks $\sqrt{\sqrt{\sqrt{\frac{1}{2}}}}$ (full flush \leq 3.5L, half flush

 $\leq 2.5L$

- All installation accessories and supporting frame
- Urea soft close seat & cover
- Concealed cistern with quiet dual flushing fittings (optional)
- Pan connector (optional)



Brassica ST6011

Back-To-Wall Water Closet

Features

- Elegant and sophisticated.
- Rimless bowl design ensures easy cleaning.
- Whirlpool flush cleans the entire bowl in one flush, preventing bacteria and germs from accumulating.
- Anti-bacterial glaze coating kills bacteria and provides lasting hygiene.
- Anti-bacterial, soft-closing Urea seat and cover prevents germs and withstands degradation.

Specifications

Flush system: Flush valve or

Concealed cistern

Rough-In: P-Trap 180mm

(Convertible to S-trap)

Dimension: L 570 x W 360 x H 390

mm

MWELS Rating: 2 Ticks √√ (full

flush \leq 4.0L, half flush \leq 3.0L) / 3 Ticks $\sqrt{\sqrt{\sqrt{\frac{1}{2}}}}$ (full flush \leq 3.5L, half flush

 \leq 2.5L)

- All installation accessories
- Urea soft close seat & cover
- Concealed cistern with quiet dual flushing fittings (optional)
- Pan connector (optional)

Basins



Features

- Sleek and minimalistic design.
- Curved inner surface allows easy cleaning and mantenance.
- Anti-bacterial glaze coating kills bacteria and provides lasting hygiene.
- Rear overflow.

Specifications

Installation: Wall-Hung, Convertible

to counter top

Inlet Hole Size: Ø 34 mm

Dimension: L 400 x W 500 x H 175

mm

Parts

- Supporting brackets
- Faucet & waste trap (optional)
- Drain pipe (optional)



Dandelion SB1312 Wall-Hung Basin



Camomile SB1313

Wall-Hung Basin

Features

- Sleek and modern outlook.
- Curved surface prevents water and dirt deposition.
- Easy to clean and maintain.
- Rear overflow

Specifications

Installation: Wall-Hung, Convertible

to counter top

Inlet Hole Size: Ø 34 mm

Dimension: L 500 x W 600 x H 190

mm

Parts

- Supporting brackets
- Overflow chromed cap
- Faucet & waste trap (optional)
- Drain pipe (optional)



Jasmine SB1300

Wall-Hung Basin

Features

- Modern rectangular design.
- Elegant and suitable for the modern bathrooms.
- Rear overflow.

Specifications

Installation: Wall-Hung, Convertible

to counter top

Inlet Hole Size: Ø 34 mm

Dimension: L $400 \times W 500 \times H 210$

mm

- Supporting brackets
- Overflow chromed cap
- Faucet & waste trap (optional)
- Drain pipe (optional)



Calla SB1222 Wall-Hung Basin

Features

- Modern rectangular design.
- Suitable for the modern bathrooms.
- Rear overflow.

Specifications

Installation: Wall-Hung, Convertible

to counter top

Inlet Hole Size: Ø 34 mm

Dimension: L 430 x W 515 x H 215

mm

Parts

- Supporting brackets
- Overflow chromed cap
- Faucet & waste trap (optional)
- Drain pipe (optional)



Aronia SB1144 Wall-Hung Basin

Features

- Modern rectangular design.
- Suitable for the spacious bathrooms.
- Rear overflow.

Specifications

Installation: Wall-Hung, Convertible

to counter top

Inlet Hole Size: Ø 34 mm

Dimension: L 480 x W 560 x H 208

mm

- Supporting brackets
- Overflow chromed cap
- Faucet & waste trap (optional)
- Drain pipe (optional)



Areca SB1114 Wall-Hung Basin

Features

- Elegant and suitable for modern bathrooms.
- Easy to clean and maintain.
- Rear overflow.

Specifications

Installation: Wall-Hung, Convertible

to counter top

Inlet Hole Size: Ø 34 mm

Dimension: L 490 x W 500 x H 210

mm

Parts

- Supporting brackets
- Overflow chromed cap
- Faucet & waste trap (optional)
- Drain pipe (optional)



Aster SB1118
Wall-Hung Basin

Features

- Compact rectangular design.
- Suitable for the modern bathroom concept.
- Rear overflow.

Specifications

Installation: Wall-Hung, Convertible

to counter top

Inlet Hole Size: Ø 34 mm

Dimension: L 435 x W 510 x H 140

mm

- Supporting brackets
- Overflow chromed cap
- Faucet & waste trap (optional)
- Drain pipe (optional)



Quince SB1889 Counter Top Basin

Features

- Elegant design for the modern bathroom concept.
- Easy for cleaning and maintenance.
- Suitable for spacious bathrooms.
- Anti-bacterial glaze coating kills bacteria and provides lasting hygiene.
- Rear overflow.

Specifications

Installation: Counter Top Inlet Hole Size: Ø 34 mm Dimension: Ø 490 x H 180 mm

Parts

- Overflow chromed cap
- Faucet & waste trap (optional)
- Drain pipe (optional)



Dahlia SB1009 Counter Top Basin

Features

- Modern rectangular design.
- Elegant design for the modern bathroom concept.
- Suitable for the spacious bathrooms.

Specifications

Installation: Counter Top Inlet Hole Size: Ø 34 mm

Dimension: L 470 x W 615 x H 190

mm

- Overflow chromed cap
- Faucet & waste trap (optional)
- Drain pipe (optional)



Clover SB1255
Above Counter Basin

Features

- Elegant design suitable for modern bathroom settings.
- Easy for cleaning and maintenance.

Specifications

Installation: Above counter **Inlet Hole Size**: N.A.

Dimension: L 350 x W 525 x H 160

mm

Parts

- Faucet & waste trap (optional)
- Drain pipe (optional)



Vinca SB1891 Above Counter Basin

Features

- Stylish basin design.
- Suitable for the modern bathroom concept.

Specifications

Installation: Above counter **Inlet Hole Size**: N.A.

Dimension: L 370 x W 485 x H 135

mm

- Faucet & waste trap (optional)
- Drain pipe (optional)



Venus SB1903 Above Counter Basin

Features

- Stylish and elegant design.
- Suitable for the modern bathroom concept.
- Easy for cleaning and maintenance.

Specifications

Installation: Above counter **Inlet Hole Size**: N.A.

Dimension: L 385 x W 705 x H 135

mm

Parts

- Faucet & waste trap (optional)
- Drain pipe (optional)



Primula SB1109 Above Counter Basin

Features

- Unique bowl-shaped design.
- Suitable for the modern bathroom concept.
- Comes with overflow.

Specifications

Installation: Above counter Inlet Hole Size: N.A.

Dimension: Ø 450 x H 180 mm

- Overflow chromed cap
- Faucet & waste trap (optional)
- Drain pipe (optional)



Lindera SB5030 Under Counter Basin

Features

- Spacious undercounter design.
- Suitable for all bathrooms.
- Rear overflow.

Specifications

Installation: Under-Counter

Inlet Hole Size: N.A.

Dimension: L 450 x W 590 x H 221

mm

- Supporting brackets
- Overflow chromed cap
- Faucet & waste trap (optional)
- Drain pipe (optional)

COMMERCIAL

Designed for comfort with style and reliability



Toilets

Features

- Popular design suitable for various bathroom settings.
- Quiet dual flush system allows for flexibility in water usage and ensure minimal disturbances to the surrounding environment.
- Higher water saving efficiency.

Specifications

Flush system: Quiet Dual Flush Rough-In: S-Trap 140 & 250 mm Dimension: L 660 x W 370 x H 760

mm

MWELS Rating: 2 Ticks $\sqrt{\sqrt{}}$ (full

flush \leq 4.0L, half flush \leq 3.0L) / 3 Ticks $\sqrt{\sqrt{\sqrt{\frac{1}{2}}}}$ (full flush \leq 3.5L, half flush \leq 2.5L)

- All installation accessories
- Polypropylene soft close seat & cover
- Quiet dual flush fittings
- Pan connector (optional)





Indica ST2999/SC3122 Close-Coupled Water Closet



Limonium ST2020/SC3000

Close-Coupled Water Closet

Features

- Modern and stylish design.
- Highest water saving efficiency.
- Dual flush system allows for flexibility in water usage.

Specifications

Flush system: Quiet Dual Flush Rough-In: S-Trap 140 & 250 mm Dimension: L 655 x W 355 x H 770

mm

MWELS Rating: 2 Ticks $\sqrt{\sqrt{\text{(full flush} }} \le 4.0\text{L}$, half

flush \leq 4.0L, half flush \leq 3.0L) / 3 Ticks $\sqrt{\sqrt{\sqrt{\frac{\text{full flush}}{\text{flush}}}}}$ \leq 3.5L, half flush

≤2.5L)

Parts

- All installation accessories
- Polypropylene soft close seat & cover
- Quiet dual flush fittings
- Pan connector (optional)



Cerina ST2722/SC3133

Close-Coupled Water Closet

Features

- Suitable for the contemporary bathroom setting.
- Highest water saving efficiency.
- Dual flush system allows for flexibility in water usage.

Specifications

Flush system: Quiet Dual Flush Rough-In: S-Trap 250 mm

Dimension: L 655 x W 395 x H 805

mm

MWELS Rating: 2 Ticks $\sqrt{\sqrt{}}$ (full

flush \leq 4.0L, half flush \leq 3.0L) / 3 Ticks $\sqrt{\sqrt{\sqrt{\frac{1}{2}}}}$ (full flush \leq 3.5L, half flush

 $\leq 2.5L$)

- All installation accessories
- Polypropylene soft close seat & cover
- Quiet dual flush fittings
- Pan connector (optional)



Gazania ST2599 Wall-Hung Water Closet

Features

- Hangs unobtrusively to the wall as a bathroom feature.
- Easy installation and maintenance.
- Highest water saving efficiency.

Specifications

Flush system: Flush valve or

Concealed cistern

Available inlet: Back Inlet

Rough-In: P-Trap

Dimension: L 550 x W 360 x H 400

mm

MWELS Rating: 2 Ticks $\sqrt{\sqrt{}}$ (full

flush $\leq 4.0L$, half flush $\leq 3.0L$) / 3 Ticks $\sqrt{\sqrt{}}$ (full flush $\leq 3.5L$, half flush

 $\leq 2.5L$

Parts

- All installation accessories and supporting frame
- Polypropylene soft close seat & cover
- Concealed cistern with quiet dual flushing fittings (optional)
- Pan connector (optional)



Delphina ST2777Wall-Hung Water Closet

Features

- Contemporary design for the modern bathroom.
- Hangs unobtrusively to the wall as a bathroom feature.
- Easy installation and maintenance.

Specifications

Flush system: Flush valve or

Concealed cistern

Available inlet: Back Inlet

Rough-In: P-Trap

Dimension: L 560 x W 370 x H 360

mm

MWELS Rating: 2 Ticks √√ (full

flush ≤ 4.0 L, half flush ≤ 3.0 L) / 3 Ticks $\sqrt{\sqrt{}}$ (full flush

≤3.5L, half flush

 \leq 2.5L)

- All installation accessories and supporting frame
- Polypropylene soft close seat & cover
- Concealed cistern with quiet dual flushing fittings (optional)
- Pan connector (optional)



Canna ST2155 Back-To-Wall Water Closet

Features

- Quiet flushing ensures minimal disturbances to the surrounding environment.
- Highest water saving efficiency.

Specifications

Flush system: Flush valve or

Concealed cistern

Rough-In: S-Trap 100 mm or P-Trap Dimension: L 615 x W 355 x H 400

mm

MWELS Rating: 2 Ticks $\sqrt{\sqrt{}}$ (full

flush \leq 4.0L, half flush \leq 3.0L) / 3 Ticks $\sqrt{\sqrt{}}$ (full flush \leq 3.5L, half flush

≤2.5L)

- All installation accessories
- Polypropylene soft close seat & cover
- Concealed cistern with quiet dual flushing fittings (optional)
- Pan connector (optional)



Basins

Features

- Simple and universal design.
- Suitable for all bathrooms.
- Rear overflow.

Specifications

Installation: Wall-Hung Inlet Hole Size: Ø 34 mm Dimension: L 410 x W 505 x H 185 mm

- Supporting brackets
- Faucet & waste trap (optional)
- Drain pipe (optional)







Florin SB1007 Wall-Hung Basin

Features

- Rounded, half moon design.
- Rear overflow.

Specifications

Installation: Wall-Hung Inlet Hole Size: Ø 34 mm

Dimension: L 415 x W 525 x H 195

mm

Parts

- Supporting brackets
- Faucet & waste trap (optional)
- Drain pipe (optional)



Derris SB1003 Wall-Hung Basin

Features

- Suitable for all bathrooms.
- Rear overflow.

Specifications

Installation: Wall-Hung Inlet Hole Size: Ø 34 mm

Dimension: L 410 x W 525 x H 195

mm

- Supporting brackets
- Faucet & waste trap (optional)
- Drain pipe (optional)



Lavender SB1107 Semi-Recessed Basin

Features

- Simple and elegant design.
- Suitable for the modern bathrooms.
- Rear overflow.

Specifications

Installation: Semi-Recessed Inlet Hole Size: Ø 34 mm

Dimension: L 440 x W 540 x H 165

mm

Parts

- Overflow chromed cap
- Faucet & waste trap (optional)
- Drain pipe (optional)



Jessamine SB1888 Semi-Recessed Basin

Features

- Simple and elegant design.
- Suitable for the modern bathrooms.
- Anti-bacterial glaze coating kills bacteria and provides lasting hygiene.
- Rear overflow.

Specifications

Installation: Counter Top Inlet Hole Size: Ø 34 mm

Dimension: L 415 x W 515 x H 155

mm

- Overflow chromed cap
- Faucet & waste trap (optional)
- Drain pipe (optional)



Iris SB1077 Under-Counter Basin

Features

- Classic design.
- Suitable for all bathrooms.
- Come with overflow.

Specifications

Installation: Under-Counter

Inlet Hole Size: N.A.

Dimension: L 420 x W 595 x H 215

mm

- Supporting brackets
- Faucet & waste trap (optional)
- Drain pipe (optional)



Urinals

Features

- Elegant and sleek design.
- Suitable for all commercial settings.

Specifications

Flush system: Integrated sensor

flush valve

Installation: Wall-Hung
Available inlet: Back inlet
Dimension: L 385 x W 400 x H

900 mm

MWELS Rating: 2 Ticks $\sqrt{\sqrt{(\leq 1.0 \text{L})}}$

3 Ticks $\sqrt{\sqrt{\sqrt{(0.5L)}}}$

- All installation accessories and brackets
- Integrated motion sensor activated AC/DC operated solenoid water spreader
- Urinal stopper
- Bottle trap (optional)







Iberis ST2208 Wall-Hung Urinal

Features

- Slim and universal design.
- Easy installation and maintenance.
- Functional with flush valve.

Specifications

Flush system: Manual or Sensor

concealed flush valve

Installation: Wall-Hung
Available inlet: Back inlet

Dimension: L 380 x W 385 x H 910

mm

MWELS Rating: 2 Ticks $\sqrt{\sqrt{(\leq 1.0 \text{L})}}$

3 Ticks $\sqrt{\sqrt{\sqrt{(\leq 0.5L)}}}$

Parts

- All installation accessories and brackets
- Urinal stopper
- Manual or Sensor concealed flush valve (optional)



Felicia ST2099 Floor-Mount Urinal

Features

- Stylish and modern design.
- Easy installation and maintenance.
- Suitable for children's use.
- Available for horizontal or vertical outlet.

Specifications

Flush system: Manual or Sensor

flush valve

Installation: Floor-Mount

Available inlet: Top or back inlet **Dimension**: L 330 x W 315 x H 896

mm

MWELS Rating: 2 Ticks $\sqrt{\sqrt{(\leq 1.0 \text{L})}}$

3 Ticks $\sqrt{\sqrt{\sqrt{(\leq 0.5L)}}}$

- All installation accessories and brackets
- Urinal stopper
- Manual or Sensor flush valve (optional)



Malva ST2056 Wall-Hung Urinal

Features

- Stylish and modern design.
- Takes up minimal space in a bathroom setting.
- Functional with flush valve.
- Come with concealed outlet trap.

Specifications

Flush system: Manual or Sensor

flush valve

Installation: Wall-Hung

Available inlet: Top or back inlet **Dimension**: L 360 x W 360 x H 550

mm

MWELS Rating: 2 Ticks $\sqrt{\sqrt{(\leq 1.0 \text{L})}}$

3 Ticks $\sqrt{\sqrt{\sqrt{(\leq 0.5L)}}}$

Parts

- All installation accessories and brackets
- Urinal stopper
- Manual or Sensor flush valve (optional)



Alpina ST2203U Wall-Hung Urinal

Features

- Stylish and modern design.
- Highest water efficiency.
- Takes up minimum space in a modern restroom setting.

Specifications

Flush system: Manual or Sensor

flush valve

Installation: Wall-Hung
Available inlet: Back inlet

Dimension: L 315 x W 320 x H 615

mm

MWELS Rating: 2 Ticks $\sqrt{\sqrt{(\leq 1.0L)}}$

3 Ticks $\sqrt{\sqrt{\sqrt{(\leq 0.5L)}}}$

- All installation accessories and brackets
- Urinal stopper
- Manual or Sensor flush valve (optional)

INDUSTRIAL

Practical and dependable performance for your workplace





Toilets

Features

- Classic design with reliable flushing performance.
- Dual flush system allows for flexibility in water usage.
- Highest water saving efficiency.
- Available in six different colours.

Specifications

Flush system: Quiet Dual Flush Rough-In: S-Trap 140 & 250mm,

P-Trap 185mm

Dimension: L 665 x W 383 x H

748 mm

MWELS Rating: MWELS Rating: 2

Ticks $\sqrt{\sqrt{}}$ (full flush ≤ 4.0 L, half flush ≤ 3.0 L) / 3 Ticks $\sqrt{\sqrt{}}$ (full flush ≤ 3.5 L, half flush ≤ 2.5 L)

Parts

- All installation accessories
- Polypropylene soft close seat & cover
- Quiet dual flush fittings
- Pan connector (optional)



Camellia ST2488/SC3033 Close-Coupled Water Closet



Lotus ST2322/SC2322 Close-Coupled Water Closet

Features

- Modern and stylish design.
- Quiet flushing ensures minimal disturbances to the surrounding environment.
- Dual flush system allows for flexibility in water usage.

Specifications

Flush system: Quiet Dual Flush Rough-In: S-Trap 200 mm

Dimension: L 640 x W 365 x H 785

mm

MWELS Rating: 2 Ticks √√ (full

flush \leq 4.0L, half flush \leq 3.0L) / 3 Ticks $\sqrt{\sqrt{\sqrt{\frac{\text{(full flush)}}{2.5L, half flush)}}}}$ \leq 2.5L)

Parts

- All installation accessories
- Polypropylene soft close seat & cover
- Quiet dual flush fittings
- Pan connector (optional)



Daisy ST2199

Wall-Hung Water Closet

Features

- Classic design.
- Hangs unobtrusively to the wall as a bathroom feature.
- Easy installation and maintenance.
- Higher water saving efficiency.

Specifications

Flush system: Flush valve or

Concealed cistern

Available inlet: Back Inlet

Rough-In: P-Trap

Dimension: L 545 x W 355 x H

400 mm

MWELS Rating: 2 Ticks $\sqrt{\sqrt{}}$ (full flush

≤4.0L, half flush

≤3.0L)

- All installation accessories and supporting frame
- Polypropylene soft close seat & cover
- Concealed cistern with quiet dual flushing fittings (optional)
- Pan connector (optional)



Peony ST2033/SC3022 ML

Low Level Pan Coupled with Mid Level Cistern

Features

- Classic design.
- Easy installation, easy maintenance.
- Dual flushing for highest water saving efficiency.

Specifications

Flush system: Dual Flush

Rough-In: S-Trap 270mm, P-Trap

190mm

Dimension: L 670 x W 305 x H

1075 mm

Water Use: Full flush \leq 4.0L, half

flush ≤ 3.0 L) / Full flush ≤ 3.5 L, half flush

≤2.5L)

Parts

- All installation accessories
- Polypropylene seat & cover
- Mid level cistern with dual flush fittings
- Pan connector (optional)



Thunia ST2166

Bidet

Features

- Classic design.
- Highest water saving efficiency.
- Quiet flushing ensures minimal disturbances to the surrounding environment.
- Available in six different colours.

Specifications

Flush system: Dual Flush

Rough-In: S Trap 135/190/225mm,

P Trap 195mm

Dimension: L 655 x W 410 x H 765

mm

Water Use: 2 Ticks $\sqrt{\sqrt{}}$ (full flush

flush $\leq 2.5L$)

- All installation accessories
- Polypropylene seat & cover
- Quiet dual flush fittings
- Pan connector (optional)

Basins



Features

- Modern and stylish design.
- Rear overflow.

Specifications

Installation: Wall-Hung Inlet Hole Size: Ø 34 mm

Dimension: L 480 x W 560 x H 245

mm

- Supporting brackets
- Faucet & waste trap (optional)
- Drain pipe (optional)



Pansy SB1122 Wall - Hung Basin



Camellia SB1100 Wall-Hung Basin



Features

- Contemporary design.
- Rear overflow.

Specifications

Installation: Wall-Hung Inlet Hole Size: Ø 34 mm

Dimension: L 420 x W 515 x H 190

mm

- Supporting brackets
- Faucet & waste trap (optional)
- Drain pipe (optional)



Wisteria SB1133 Semi-Recessed Basin

Features

- Rounded design.
- Rear overflow.

Specifications

Installation: Semi-Recessed **Inlet Hole Size**: Ø 34 mm

Dimension: L 560 x W 510 x H 198

mm

Parts

- Installation accessories
- Overflow chromed cap
- Faucet & waste trap (optional)
- Drain pipe (optional)



Glory SB1066 Counter Top Basin

Features

- Universal design suitable for all bathrooms.
- Easy installation and cleaning.
- Come with overflow (at front).

Specifications

Installation: Counter Top Inlet Hole Size: Ø 34mm

Dimension: L 445 x W 585 x H 210

mm

- Faucet & waste trap (optional)
- Drain pipe (optional)



Iris SB1099 Under Counter Basin

- Classic design.
- Suitable for all bathrooms.
- Come with overflow.

Specifications

Installation: : Under Counter

Inlet Hole Size: N.A.

Dimension: L 360 x W 515 x H 215

mm

Parts

- Supporting brackets
- Faucet & waste trap (optional)
- Drain pipe (optional)



Lab Sink SB1166 Lab Sink with Overflow

Features

- Suitable for laboratories.
- Easy to clean and maintenance.
- Convertible to floor mop sink.

Specifications

Installation: Counter Top **Inlet Hole Size**: N.A.

Dimension: L 370 x W 576 x H 270

mm

- Faucet & waste trap (optional)
- Drain pipe (optional)

Urinals

Features

- Stylish and modern design.
- Compact and takes up minimal space.
- Functional with flush valve.

Specifications

Flush system: Manual flush valve

Installation: Wall-Hung **Available inlet**: Top inlet

Dimension: L 320 x W 320 x H 525

mm

MWELS Rating: 2 Ticks $\sqrt{\sqrt{(\leq 1.0 \text{L})}}$

3 Ticks $\sqrt{\sqrt{\sqrt{(\leq 0.5L)}}}$

- All installation accessories and brackets
- Bottle trap (optional)
- Manual flush valve (optional)





Ixora ST2050 Wall-Hung Urinal



Maple ST2055 Wall-Hung Urinal

- Simple design.
- Easy installation and maintenance.
- Functional with flush valve.

Specifications

Flush system: Manual flush valve

Installation: Wall-Hung Available inlet: Top inlet

Dimension: L 300 x W 335 x H 405

mm

MWELS Rating: 2 Ticks $\sqrt{\sqrt{(\leq 1.0 \text{L})}}$

3 Ticks $\sqrt{\sqrt{\sqrt{(\leq 0.5L)}}}$

Parts

- All installation accessories and brackets
- Urinal waste and bottle trap (optional)
- Manual flush valve (optional)



Crocus ST2066 Wall-Hung Urinal

Features

- Slim and modern design.
- Highest water efficiency.
- Functional with flush valve.
- Concealed outlet trap.

Specifications

Flush system: Manual or Sensor

flush valve

Installation: Wall-Hung

Available inlet: Top or back inlet **Dimension**: L 300 x W 355 x H 615

mm

MWELS Rating: 2 Ticks $\sqrt{\sqrt{(\leq 1.0L)}}$

3 Ticks $\sqrt{\sqrt{\sqrt{(\leq 0.5L)}}}$

- All installation accessories and brackets
- Urinal stopper
- Manual or Sensor flush valve



Celosia ST2206 Wall-Hung Urinal

- Stylish and modern design.
- Highest water efficiency.
- Available for with/without concealed outlet trap.

Specifications

Flush system: Manual or Sensor

flush valve

Installation: Wall-Hung

Available inlet: Top or back inlet **Dimension**: L 335 x W 443 x H 715

mm

MWELS Rating: 2 Ticks $\sqrt{\sqrt{(\leq 1.0 \text{L})}}$

3 Ticks $\sqrt{\sqrt{\sqrt{(\leq 0.5L)}}}$

Parts

- All installation accessories and brackets
- Urinal stopper
- Manual or Sensor flush valve (optional)



Mackaya ST2207 Wall-Hung Urinal

Features

- Stylish and modern design.
- Highest water efficiency.
- Available for with/without concealed outlet trap.

Specifications

Flush system: Manual or Sensor

flush valve

Installation: Wall-Hung

Available inlet: Top or back inlet **Dimension**: L 356 x W 391 x H 580

mm

MWELS Rating: 2 Ticks $\sqrt{\sqrt{(\leq 1.0 \text{L})}}$

3 Ticks $\sqrt{\sqrt{\sqrt{(\leq 0.5L)}}}$

- All installation accessories and brackets
- Urinal stopper
- Manual or Sensor flush valve (optional)

Squat Pans



Imperial ST2044 Squatting Pan with Integral Trap



Avens ST2111 Squatting Pan with Integral Trap



Violet ST2133
Squatting Pan with Integral Trap

- Classic and universal design.
- Minimal space required.
- Available with right or left air vent.

Specifications

Flush system: Flush valve,

Concealed or Mid

level cistern

Available inlet: Top inlet (right or left

air vent)

Available trap: S-Trap

Dimension: L 655 x W 370 x H 310

mm

MWELS Rating: 2 Ticks $\sqrt{\sqrt{}}$ (full

flush \leq 4.0L, half flush \leq 3.0L) / 3 Ticks $\sqrt{\sqrt{\sqrt{\frac{1}{2}}}}$ (full flush \leq 3.5L, half flush

 $\leq 2.5L$)

Parts

 Mid Level or Concealed cistern with dual flushing fittings (optional)

Features

- Classic and universal design.
- Minimal space required.

Specifications

Flush system: Flush valve,

Concealed or Mid

level cistern

Available inlet: Top or back inlet Available trap: S-Trap or P-Trap Dimension: L 570 x W 400 x H 322

mm

MWELS Rating: 2 Ticks $\sqrt{\sqrt{}}$ (full

flush $\leq 4.0L$, half flush $\leq 3.0L$) / 3 Ticks $\sqrt{\sqrt{\sqrt{\frac{1}{2}}}}$ (full flush $\leq 3.5L$, half flush

 $\leq 2.5L$

(Version without trap available for

Malaysia market)

Parts

 Mid Level or Concealed cistern with dual flushing fittings (optional)

Features

- Classic and universal design.
- Minimal space required.

Specifications

Flush system: Flush valve,

Concealed or Mid

level cistern

Available inlet: Top or back inlet Available trap: S-Trap or P-Trap Dimension: L 670 x W 305 x H 300

mm

MWELS Rating: 2 Ticks $\sqrt{\sqrt{}}$ (full

flush $\leq 4.0L$, half flush $\leq 3.0L$) / 3 Ticks $\sqrt{\sqrt{\sqrt{\frac{1}{2}}}}$ (full flush $\leq 3.5L$, half flush

≤2.5L)

Parts

 Mid Level or Concealed cistern with dual flushing fittings (optional)



CHILDREN

The same stylish designs made for our little ones

Danica ST2235

One-Piece Junior Water Closet



Features

- Water closet specially designed for children.
- Dual flush system allows for flexibility in water usage.

Specifications

Flush system: Quiet Dual Flush Rough-in: S-Trap 150mm

Dimension: L 630 x W 320 x H 655

nm

MWELS Rating: 2 Ticks $\sqrt{\sqrt{}}$ (full flush

≤4.0L, half flush

≤3.0L)

- All installation accessories
- Polypropylene seat with stainless steel hinge
- Quiet dual flush fittings
- Pan connector (optional)





Junior ST2233

Wall-Hung Junior Water Closet

Features

- Water closet specially designed for children.
- Used in many preschools and childcare centres.
- Concealed cistern with dual flush system allows for flexibility in water usage.

Specifications

Flush system: Flush valve or Conceal

cistern dual flush

Available inlet: Back inlet

Rough-in: P-Trap

Dimension: L 445 x W 295 x H 270

mm

MWELS Rating: 2 Ticks √√ (full flush

flush $\leq 2.5L$)

Parts

- All installation accessories and supporting frame
- Polypropylene seat with stainless steel hinge
- Concealed cistern with



Gardenia ST2234/SC3200

Close-Coupled Junior Water Closet

Features

- Water closet specially designed for children.
- Universal design used in many preschools and childcare centres.
- Easy installation and maintenance.
- Highest water saving efficiency.

Specifications

Flush system: Quiet Dual Flush Rough-in: S-Trap 140mm

Dimension: L 625 x W 300 x H 610

mm

MWELS Rating: 2 Ticks √√ (full

flush $\leq 4.0L$, half flush $\leq 3.0L$) / 3 Ticks $\sqrt{\sqrt{\sqrt{\frac{1}{2}}}}$ (full flush $\leq 3.5L$, half flush

≤2.5L)

- All installation accessories
- Polypropylene seat with stainless steel hinge
- Quiet dual flush fittings
- Pan connector (optional)



Campsis SB1104 Wall-Hung Basin

Features

- Suitable for children use.
- Rear overflow.

Specifications

Installation: Wall-Hung Inlet Hole Size: Ø 28 mm

Dimension: L 400 x W 480 x H 205

mm

Parts

- Supporting brackets
- Faucet & waste trap (optional)
- Drain pipe (optional)



Easter SB1044 Wall-Hung Basin

Features

- Compact design suitable for the smaller bathrooms.
- Rear overflow.

Specifications

Installation: Wall-Hung Inlet Hole Size: Ø 28 mm

Dimension: L 367 x W 405 x H 190

mm

- Supporting brackets
- Faucet & waste trap (optional)
- Drain pipe (optional)



WATERLESS

High performance waterless technology for more sustainable businesses





- Operates entirely without water, conserving precious water resources.
- Paired with the industry leading High Performance Key-Valve (HPKV) urinal cartridge from Falcon Water Technologies.
- Provides increased hygiene and reduces bacteria for a cleaner environment.
- Completely odour-free when used correctly.
- No flushing required, providing a touch-free user experience.
- Easy to maintain with no flushing mechanism or devices to service.
- Suitable for all restrooms with long lasting functionality and perpetual savings.

Specifications

Flush system: N.A. Installation: Wall-Hung Available inlet: N.A.

Dimension: L 360 x W 410 x H 700

mm

(waterless)

- All installation accessories and brackets
- HPKV Set





Chelsey ST2201 ADA HPKV Waterless Urinal

- Conserve water resources.
- Paired with HPKV cartridge.
- Increased hygiene and reduces bacteria for a cleaner environment.
- Completely odour-free when used correctly.
- Touch-free user experience.
- Easy to maintain.

Specifications

Flush system: N.A. Installation: Wall-Hung Available inlet: N.A.

Dimension: L 356 x W 391 x H 575

mm

(waterless)

Parts

- All installation accessories and brackets
- HPKV Set



Alisma ST2203 HPKV Waterless Urinal

Features

- Conserve water resources.
- Paired with HPKV cartridge.
- Increased hygiene and reduces bacteria for a cleaner environment.
- Completely odour-free when used correctly.
- Touch-free user experience.
- Easy to maintain.

Specifications

Flush system: N.A. Installation: Wall-Hung Available inlet: N.A.

Dimension: L 315 x W 320 x H 615

mm

(waterless)

- All installation accessories and brackets
- HPKV Set



Lupin ST2210 HPKV Waterless Urinal

- Conserve water resources.
- Paired with HPKV cartridge.
- Increased hygiene and reduces bacteria for a cleaner environment.
- Completely odour-free when used correctly.
- Touch-free user experience.
- Easy to maintain.
- Low lip, suitable for children.

Specifications

Flush system: N.A. Installation: Wall-Hung Available inlet: N.A.

Dimension: L 385 x W 400 x H 920

mm

(waterless)

Parts

- All installation accessories and brackets
- HPKV Set



Flavia ST2255 HPKV Waterless Urinal (For export only)

Features

- Conserve water resources.
- Paired with HPKV cartridge.
- Increased hygiene and reduces bacteria for a cleaner environment.
- Completely odour-free when used correctly.
- Touch-free user experience.
- Easy to maintain.

Specifications

Flush system: N.A. Installation: Wall-Hung Available inlet: N.A.

Dimension: L 319 x W 328 x H 598

mm

(waterless)

- All installation accessories and brackets
- HPKV Set





